## UL Product iQ®



## ZPMV2.E313924 - Wiring, Printed - Component

## Wiring, Printed - Component

## MEI ZHOU CHAO JIE ELECTRONIC CO LTD

E313924

513 Xing Keng Side Tang Keng Rd Tang Keng Town Feng Shun District Meizhou, Guangdong 514000 China

Cond Width				Max Report							Max				
			Cond SS/ Area		Date	Surface			Solder Oper			Meets			
	Min	Edge	Thk	DS/	Diam	After	Mount		Process	Lim	its	Temp	Flame	UL796	Т
Туре	mm	mm	mic	DSO	mm	2022- 01-01	Technology	Temp °C	Cycles	°C	sec	°C	Class	DSR	ı
Single layer Metal base printed wiring boards															
CJ-06	0.18	0.22	34	SS	50.8	No	-	-	-	288	20	130	V-0	All	0
Single layer printed wiring boards															
CJ- 3638CF	0.15	0.45	34	SS	25.4	No	-	-	-	260	5	130	V-0	All	*
CJ- 3638V	0.16	0.48	34	SS	25.4	No	-	-	-	260	5	130	V-0	All	*
CJ-D	0.10	0.12	17	DS	50.8	No	-	-	-	288	10	130	V-0	All	*
Single layer printed wiring boards, flammability only Recognition															
CJ-22F	-	-	-	SS	-	No	-	-	-	280	10	-	V-0	-	-
CJ- 363890	-	-	-	SS	-	No	-	-	-	260	5	-	V-0	-	-

<sup>\* -</sup> CTI marking is optional and may be marked on the printed wiring board.

Marking: Company nameor file number and type designation. May be followed by a suffix to denote factory identification or flammability classification..

Last Updated on 2022-06-18

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."